



STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032.
Date: May 14, 2018

To,
Mr. Rahul Nachane
at Plot no. S-18/3, Tarapur MIDC, Kolawade village, Boisar, Palghar district, Maharashtra

Subject: Environment Clearance for M/s. NGL Fine-Chem Ltd.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 139th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 129th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 5(f) B1 as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

1.Name of Project	New API and Intermediates chemical manufacturing units of M/s. NGL Fine-Chem Ltd.
2.Type of institution	Private
3.Name of Project Proponent	Mr. Rahul Nachane
4.Name of Consultant	Sadekar Enviro Engineers Pvt. Ltd.
5.Type of project	Not applicable
6.New project/expansion in existing project/modernization/diversification in existing project	New project
7.If expansion/diversification, whether environmental clearance has been obtained for existing project	not applicable
8.Location of the project	Plot no. S-18/3, Tarapur MIDC, Kolawade village, Boisar, Palghar district, Maharashtra
9.Taluka	Palghar
10.Village	Kolawade
11.Whether in Corporation / Municipal / other area	gram panchayat Kolawade
12.IOD/IOA/Concession/Plan Approval Number	MIDC Plot possession receipt no. MIDC/RO(ROT-I)/TRP-2974 dt. 22/07/2015 IOD/IOA/Concession/Plan Approval Number: -- Approved Built-up Area: 7236
13.Note on the initiated work (If applicable)	The plant will be constructed on open plot in the MIDC. basic infrastructure will be constructed prior to EC and production building, utility building, warehouse, ETP etc. will be constructed after acquiring environmental clearance
14.LOI / NOC / IOD from MHADA/ Other approvals (If applicable)	--
15.Total Plot Area (sq. m.)	9174 sq. m.
16.Deductions	Not applicable
17.Net Plot area	Not applicable
18 (a).Proposed Built-up Area (FSI & Non-FSI)	FSI area (sq. m.): Not applicable Non FSI area (sq. m.): Not applicable Total BUA area (sq. m.): Not applicable
18 (b).Approved Built up area as per DCR	Approved FSI area (sq. m.): Approved Non FSI area (sq. m.): Date of Approval:
19.Total ground coverage (m2)	2256

SEIAA Meeting No: 129 Meeting Date: May 11, 2018 (SEIAA-
STATEMENT-000000482)
SEIAA-MINUTES-000000435
SEIAA-EC-000000294

Page 1 of 14

Shri. Anil Diggikar (Member Secretary
SEIAA)

20.Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky)	Not applicable
21.Estimated cost of the project	220000000



Government of Maharashtra

22. Production Details

Serial Number	Product	Existing (MT/M)	Proposed (MT/M)	Total (MT/M)
1	Diminazene Aceturate	0	12	12
2	Isometamidium Chloride Hydrochloride	0	0.1	0.1
3	Homidium Chloride / Homidium Bromide	0	0.45	0.45
4	Nitroxynil FP	0	0.5	0.5
5	Clorsulon USP	0	1.0	1.0
6	Buparvaquone	0	0.4	0.4
7	Parvaquone	0	0.25	0.25
8	Imidocarb Dipropionate	0	1.0	1.0
9	Amitraz	0	0.5	0.5
10	TCA (Trichloro vinyl aniline)	0	1.5	1.5
11	Febuxostat	0	2.0	2.0
12	Praziquantel	0	3.0	3.0
13	TMTA (Trimethyl triazacyclononane)	0	0.833	0.833
14	Ranolazine	0	2.0	2.0
15	Ractopamine Hydrochloride	0	1.5	1.5
16	Lumefantrine	0	0.5	0.5
17	Fenbendazole	0	0.5	0.5
18	Spent solvent (Byproduct)	0	34	34
19	Spent solvent (Byproduct)	0	34	34
20	Spent solvent (Byproduct)	0	34	34
21	Formulation of liquid syrup	0	250000 L/month	250000 L/month
22	Formulation of Aqua preparation	0	200000 L/month	200000 L/month
23	Formulation of dry powder syrup (powder)	0	10	10
24	Formulation of Ointment/spray	0	5	5

23. Total Water Requirement

Dry season:	Source of water	MIDC Tarapur
	Fresh water (CMD):	159
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	300000 L
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Wet season:	Source of water	MIDC Tarapur
	Fresh water (CMD):	151
	Recycled water - Flushing (CMD):	Not applicable
	Recycled water - Gardening (CMD):	Not applicable
	Swimming pool make up (Cum):	Not applicable
	Total Water Requirement (CMD) :	Not applicable
	Fire fighting - Underground water tank(CMD):	300000 L
	Fire fighting - Overhead water tank(CMD):	Not applicable
	Excess treated water	Not applicable
Details of Swimming pool (If any)	Not applicable	

Government of
Maharashtra

24.Details of Total water consumed									
Particulars	Consumption (CMD)			Loss (CMD)			Effluent (CMD)		
Water Requirement	Existing	Proposed	Total	Existing	Proposed	Total	Existing	Proposed	Total
Domestic	0	7	7	0	0.5	0.5	0	6.5	6.5
Industrial Process	0	55	55	0	4.5	4.5	0	50.5	50.5
Cooling tower & thermopack	0	89	89	0	77	77	0	12	12
Gardening	0	8	8	0	8	8	0	0	0
Fresh water requirement	0	159	159	0	90	90	0	69	69
25.Rain Water Harvesting (RWH)	Level of the Ground water table:		3-4 m BGL						
	Size and no of RWH tank(s) and Quantity:		1 UG tank of 20 cu. m.						
	Location of the RWH tank(s):		Near office building						
	Quantity of recharge pits:		--						
	Size of recharge pits :		--						
	Budgetary allocation (Capital cost) :		2,50,000						
	Budgetary allocation (O & M cost) :		65,000						
	Details of UGT tanks if any :		Rain water harvesting tank, fire water tank , UG tanks for solvent storage						
26.Storm water drainage	Natural water drainage pattern:		MIDC developed land. No natural drainage pattern						
	Quantity of storm water:		1.45 cu. m./hr						
	Size of SWD:		0.9 (W)*1.02(H)*237(L)						
27.Sewage and Waste water	Sewage generation in KLD:		6.5 KLD						
	STP technology:		septic tank overflow will be connected to aeration tank						
	Capacity of STP (CMD):		no STP will be provided .						
	Location & area of the STP:		--						
	Budgetary allocation (Capital cost):		Rs. 1,85,00,000						
	Budgetary allocation (O & M cost):		Rs. 19,00,000						

28.Solid waste Management

Waste generation in the Pre Construction and Construction phase:	Waste generation:	In construction phase construction debris and scrap metal and packaging material will be generated.
	Disposal of the construction waste debris:	The waste will be segregated. Construction waste will be used for landfilling in the plot premise. The scrap metal and packaging material will be sold to authorised scrap recycler.
Waste generation in the operation Phase:	Dry waste:	non hazardous waste including metal and other scrap
	Wet waste:	Wet hazardous waste like distillation residue, product residue, will be generated. Details are given in hazardous waste section
	Hazardous waste:	Different types of hazardous waste generated will be segregated as per category and either disposed to CHWTSDF or sold to authorised dealers.
	Biomedical waste (If applicable):	NA
	STP Sludge (Dry sludge):	STP will not be provided. Dry ETP sludge will be disposed to CHWTSDF
	Others if any:	--
Mode of Disposal of waste:	Dry waste:	Scrap will be sold to authorized scrap dealer.
	Wet waste:	wet hazardous waste will be disposed to CHWTSDF or sold to MPCB authorized recycler.
	Hazardous waste:	hazardous waste will be disposed to CHWTSDF or sold to MPCB authorized recycler.
	Biomedical waste (If applicable):	If biomedical waste generated, it will be disposed through authorised party.
	STP Sludge (Dry sludge):	No STP sludge will be produced. Dry ETP sludge will be disposed to CHWTSDF.
	Others if any:	--
Area requirement:	Location(s):	A separate demarcated area will be provided for storage of non-hazardous and hazardous waste.
	Area for the storage of waste & other material:	As per architectural layout of plant.
	Area for machinery:	As per architectural layout of plant.
Budgetary allocation (Capital cost and O&M cost):	Capital cost:	Rs. 1,50,000
	O & M cost:	Rs. 90,000

Government of
Maharashtra

29. Effluent Characteristics

Serial Number	Parameters	Unit	Inlet Effluent Characteristics	Outlet Effluent Characteristics	Effluent discharge standards (MPCB)
1	pH	--	4-5	5.5 - 9	5.5 - 9
2	TSS	mg/L	5000	<100	<100
3	TDS	mg/L	62500	<2100	<2100
4	COD	mg/L	20,000	<250	<250
5	BOD (3 days)	mg/L	5500	<100	<100
6	oil and grease	mg/L	<20	<10	<10
Amount of effluent generation (CMD):		Total effluent 69 CMD admeasuring Low COD effluent 49 CMD and 20 CMD high COD/TDS effluent .			
Capacity of the ETP:		80 CMD			
Amount of treated effluent recycled :		69 CMD			
Amount of water send to the CETP:		69 CMD if CETP complying with CPCB/MPCB norms.			
Membership of CETP (if require):		TEPS CETP, Tarapur MIDC			
Note on ETP technology to be used		Effluent stream segregation of low and high COD/TDS streams will be done, high COD/TDS stream will be treated by solvent stripper column followed by MEE and ATFD. The condensate will be mixed with low COD/TDS effluent and sewage and net low COD effluent will be treated in ETP comprising primary, secondary and tertiary treatment. The treated effluent will be discharged to CETP after max. recycle in the plant.			
Disposal of the ETP sludge		at CHWTSD facility.			

**Government of
Maharashtra**

30.Hazardous Waste Details							
Serial Number	Description	Cat	UOM	Existing	Proposed	Total	Method of Disposal
1	ETP sludge	35.3	MT/month	0	10	10	CHWTSDF
2	Distillation Residue	20.3	MT/month	0	0.5	0.5	CHWTSDF
3	MEE Residue	35.3	MT/month	0	37.5	37.5	CHWTSDF
4	Spent carbon	28.3	MT/month	0	0.55	0.55	CHWTSDF
5	Empty bags	33.1	MT/month	0	0.15	0.15	Sell to MPCB authorized recycler
6	Carboys,drums	33.1	Nos.	0	200	200	Sell to MPCB authorized recycler
31.Stacks emission Details							
Serial Number	Section & units	Fuel Used with Quantity	Stack No.	Height from ground level (m)	Internal diameter (m)	Temp. of Exhaust Gases	
1	Steam boiler	5 MT/day coal or 7.5 MT/day briquettes	1	30	0.3	130	
2	Thermopack	300 L/day FO	1	30	0.3	130	
3	D.G. set	130 L/hr HSD	2	12	0.15	160	
4	scrubber-1	--	3	5 m above roof	0.2	45	
5	scrubber-2	-	4	5 m above roof	0.2	45	
32.Details of Fuel to be used							
Serial Number	Type of Fuel	Existing	Proposed	Total			
1	Coal	0	5 MT/day	5 MT/day			
2	briquettes (optional)	0	7.5 MT/day	7.5 MT/day			
3	FO	0	300 L/day	300 L/day			
4	HSD	0	130 L/hr	130 L/hr			
Source of Fuel		all fuels will be made available from local vendors					
Mode of Transportation of fuel to site		by road					
33.Energy							
Power requirement:	Source of power supply :	MSEDCL					
	During Construction Phase: (Demand Load)	200 KVA					
	DG set as Power back-up during construction phase	100 KVA					
	During Operation phase (Connected load):	3500 KW					
	During Operation phase (Demand load):	3000 KVA					
	Transformer:	3000 KVA					
	DG set as Power back-up during operation phase:	1 DG set of 1000 KVA will be provided					
	Fuel used:	High speed diesel					
	Details of high tension line passing through the plot if any:	The plot is in MIDC Tarapur area. No high tension lines are passed through the plot.					

34. Energy saving by non-conventional method:

--

36. Detail calculations & % of saving:

Serial Number	Energy Conservation Measures	Saving %
1	--	--

37. Details of pollution control Systems

Source	Existing pollution control system	Proposed to be installed
Process emissions	Proposed unit, no existing control system	2 alkali scrubbers will be provided with stack height as per CPCB guidelines.
Boiler emissions	Proposed unit, no existing control system	bag filter will be provided to control PM emissions. A 30 m high common stack will be provided to boiler and thermopack.
D.G. set emissions	Proposed unit, no existing control system	A 12 m high stack from ground level will be provided.
Sewage treatment	Proposed unit, no existing control system	the overflow of septic tank will be mixed with effluent in aeration tank of ETP
Effluent treatment	Proposed unit, no existing control system	Effluent stream segregation of low and high COD/TDS streams will be done. high COD/TDS stream will be treated by solvent stripper column followed by MEE and ATFD. The condensate will be mixed with low COD/TDS effluent and sewage and net low COD effluent will be treated in ETP comprising primary, secondary and tertiary treatment. The treated effluent will be discharged to CETP if it is complying CPCB/MPCB norms or it will be recycled in the plant.
Noise pollution	Proposed unit, no existing control system	acoustic enclosure to noise producing equipment, adequate maintenance of equipment to control noise and vibrations.
Solid waste management	Proposed unit, no existing control system	Non-hazardous waste will be sold to MPCB authorised recycling vendors. hazardous waste will be disposed to CHWTSDF or sold to MPCB authorised recycler.

Budgetary allocation
(Capital cost and
O&M cost):
Capital cost:

2000000

O & M cost:

150000

38. Environmental Management plan Budgetary Allocation**a) Construction phase (with Break-up):**

Serial Number	Attributes	Parameter	Total Cost per annum (Rs. In Lacs)
1	air pollution control	construction of barriers, water sprinkling on emission sources, cement bags will be stored in closed area and handled appropriately., only PUC certified vehicles will be used for transportation of construction materials	3.0
2	water pollution control	sewage will be treated in septic tank followed by soak pit. surplus waste water generated from construction activity will be released to MIDC sewers after primary treatment	3.0
3	noise pollution control	acoustic enclosures to DG, traffic control to reduce noise pollution,	0.5

4	soil pollution control	construction debris will be segregated from other waste and landfilled, Non-hazardous waste will be recycled through authorised vendors, good housekeeping practice will be maintained	0.5
5	Occupational health	Workers will be provided PPEs. Safety training will be provided to workers. medical facility and assistance will be provided to workers in emergency.	0.5

b) Operation Phase (with Break-up):

Serial Number	Component	Description	Capital cost Rs. In Lacs	Operational and Maintenance cost (Rs. in Lacs/yr)
1	Air Pollution Control	2 alkali scrubbers for process emission control. Bag filter with 30 m common stack to boiler and thermopack. DG and scrubber stack as per CPCB guidelines	22,00,000.00	8,00,000.00
2	Water Pollution Control	Low and high COD/TDS stream segregation. ETP comprising of primary, secondary & tertiary treatment having 80 CMD capacity along with installation of 20 CMD capacity MEE with ATFD for high COD/TDS effluent treatment.	1,85,00,000.00	19,00,000.00
3	Noise Pollution Control	Installation of anti-vibration pads, & Enclosures for DG set & Boiler.	6,50,000.00	2,30,000.00
4	Environment Monitoring and Management	periodic monitoring will be done inside the plant including ambient air monitoring, work place monitoring, source emission monitoring.	5,00,000.00	1,75,000.00
5	Occupational Health	Goggles, Breathing Masks, Gloves, Boots, Helmets, Ear Plugs etc. & annual health-medical checkup of workers	5,00,000.00	1,80,000.00
6	Green Belt	Construction and Maintenance of green belt	6,00,000.00	1,10,000.00
7	Solid Waste Management	separate area for HW storage, Waste segregation as per HW category, disposal at CHWTSDF	1,50,000.00	90000
8	Water conservation	Installation of RWH system & annual maintenance of RWH tank	2,50,000.00	60000

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

Description	Status	Location	Storage Capacity in MT	Maximum Quantity of Storage at any point of time in MT	Consumption / Month in MT	Source of Supply	Means of transportation
Acetonitrile	Liquid	Drum storage in storage area	3	2	6.5	local vendor	Road
Acetonitrile	Liquid	Drum storage in storage area	3	2	6.5	local vendor	Road
Acetone	Liquid	Tank storage	12	10	31.8	Local vendor	Road
Dichloromethane	Liquid	Drum storage in storage area	12	10	31.4	Local vendor	Road
Ethylene dichloride	Liquid	Drum storage in storage area	10	8	26.3	Local vendor	Road
Isopropyl Alcohol	Liquid	Drum storage in storage area	1	1	4.8	Local vendor	Road
Formamide	Liquid	Drum storage in storage area	1	1	1.4	Local vendor	Road
Toulene	Liquid	tank storage	10	8	25.7	Local vendor	Road
hydrochloric acid	Liquid	Tank storage in storage area	8	5	22.2	Local vendor	Road
Acetic acid	Liquid	Drum storage in storage area	1	0.5	3.5	Local vendor	Road
Nitrobenzene	Liquid	Drum storage in storage area	2	1	5.5	Local vendor	Road
methanol	Liquid	Tank storage	30	20	195	Local vendor	Road
hydrochloric acid	Liquid	Tank storage	10	8	23	Local vendor	Road
sulfuric acid	Liquid	Tank storage	10	8	20	Local vendor	Road
ammonia gas	gas	cylinder	1	0.5	1.5	Local vendor	Road
Chlorine gas	gas	cylinder	0.2	0.1	0.2	Local vendor	Road
hydrogen gas	gas	cylinder	0.01	0.01	0.5	Local vendor	Road
epichlorohydrin	liquid	drums	0.1	0.1	0.6	Local vendor	Road

40.Any Other Information

No Information Available

	CRZ/ RRZ clearance obtain, if any:	no
	Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ inter-State boundaries	Unit is in Notified Tarapur MIDC area. No protected zone within 10 km radius of the unit
	Category as per schedule of EIA Notification sheet	5(f) B1
	Court cases pending if any	no
	Other Relevant Informations	--
	Have you previously submitted Application online on MOEF Website.	Yes
	Date of online submission	17-05-2017

3. The proposal has been considered by SEIAA in its 129th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

I	PP informed that their plant is Zero Liquid Discharge but the same is not mentioned by PP in the Consolidated Statement point No. 37. PP to submit an affidavit/undertaking regarding provision of Zero Liquid Discharge.
II	PP to ensure 33% green cover within the plant premises.
III	PP to submit calculation for use of hydrogen gas in the reaction, consumption of hydrogen gas and quantity of hydrogen gas emitted to atmosphere.
IV	PP to provide full time security guard at the Emergency Exit gate.
V	PP to use only Imported Coal having ash content less than 15%.
VI	PP to submit copy of On Site/ Off Site emergency plan; PP also to submit the same to district authorities.

General Conditions:

I	(i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP.
II	No additional land shall be used /acquired for any activity of the project without obtaining proper permission.
III	PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment.
IV	Proper Housekeeping programmers shall be implemented.
V	In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve.
VI	A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable).
VII	A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water.
VIII	Arrangement shall be made that effluent and storm water does not get mixed.
IX	Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board.
X	Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided.
XI	The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989.
XII	Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept.
XIII	Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning.
XIV	Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act.
XV	(The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling.

XVI	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes.
XVII	Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured.
XVIII	A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
XIX	Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department
XX	The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in
XXI	Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
XXII	A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
XXIII	The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
XXIV	The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
XXV	The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.

Government of Maharashtra

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Copy to:

1. SECRETARY MOEF & CC
2. IA- DIVISION MOEF & CC
3. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
4. REGIONAL OFFICE MOEF & CC NAGPUR
5. REGIONAL OFFICE MIDC TARAPUR
6. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
7. COLLECTOR OFFICE PALGHAR

Shri. Anil Diggikar (Member Secretary SEIAA)

Government of
Maharashtra